

LALIZAS Fire Extinguisher, Wheeled, Dry Powder, Cartridge-Operated, with Hose & Horn, SOLAS/MED

50 kg



- Cartridge-operated: CO₂
- Temperature ranges: - 30°C + 60°C

CODE /
LANGUAGES

75943
EN, GR, ES, CN



SPECIFICATIONS

BODY

- Carbon steel cylinder, red polyester powder-painted. Manufactured according to EN1866-2 and the Directive 2014/68/EU (PED). Compact model with all accessories welded on the main cylinder.

VALVE

- Nickel-plated brass head cap with safety valve.

CARTRIDGE

- Carbon dioxide CO₂ steel bottle red-painted, certified to 2010/35/UE. Handwheel brass valve with safety device.

EXTINGUISHING AGENT

- ABC multi-purpose dry extinguishing powder, certified according to EN 615.

HOSE & HORN

- EPDM rubber hose, 5 m, with brass ball valve and polyamide discharge horn; it guarantees perfect flexibility within the temperature range.

STANDARD CONFIGURATION

Packaging

Single box



Hose, Pistol or Horn

Discharge horn
with ball valve



Plastic horn for powder



5 m hose



Valve & Cap

2" cap complete
with safety valve



LALIZAS Fire Extinguisher, Wheeled, Dry Powder, Cartridge-Operated, with Hose & Horn, SOLAS/MED (EN,GR,ES,CN)

50 kg

TECHNICAL DATA

CODE (LANGUAGES)	75943 (EN, GR, ES, CN)	
FIRE RATINGS	A IVB C	
CHARGE	50 kg $\pm 2\%$	
MATERIAL	Steel	
CYLINDER	Manufacturing process	Calendering Welding
	External painting	Polyester Resin
	Corrosion resistance	480H
EXTINGUISHING AGENT	POWDER ABC 30% MAP	
PROPELLANT	CO ₂	
DISCHARGE	Discharge time	~ 41 s
PRESSURE	Operating pressure at 60°C	17 bar
	Operating pressure at 20°C	14 bar
	Operating pressure at -30°C	10 bar
DIMENSIONS	Overall height	1050 mm
	Bottle outer diameter	300 mm
WEIGHT	Empty / Charged	35 kg / 84.7 kg
PACKING SPECIFICATIONS	Standard packing	1 Piece cardboard box
	Carton size (B x L x H)	550 x 450 x 1050 mm
	Weight per carton	85 kg
	Pallet	4 Cartons
	Pallet size (B x L x H)	1000 x 1200 x 1070 mm
	Pallet volume	1.44 m ³
	Weight per pallet (net/gross)	340 kg / 365 kg



SPARE PARTS LIST

Code	Description
75979	Cartridge External 2 kg CO ₂ , 3 L, for LALIZAS Fire Extinguisher Dry Powder 50 kg
75948	Powder ABC, 30 MAP, 25 kg, for LALIZAS Fire Extinguisher Dry Powder 25 kg & 50 kg, 1pc for 25 kg & 2 pcs for 50 kg

Manufactured by: ANAFGROUP

Anaf Fire Protection S.p.A. - 27020 Torre d'Isola (PV) Italy, www.anaf.eu e-mail: info@anaf.eu

www.lalizas.com

Global Service & Supply Network



- ✓ Global **service network** through owned locations & third-party service providers
- ✓ Global **supply** of **LSA**, **FFE** and **spare parts**
- ✓ Certified quality standards by **major classification societies**
- ✓ **Robust warranty** supported directly by the manufacturer
- ✓ Streamlined **after-sales support** via our ticketing system

Safety is not just a product, it is an ongoing process!